

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	("702"/\$.ccls. "327"/\$.ccls. "374"/\$.ccls0.) and (diode with temperature with sensor) and (temeperature signal) and multiplexer and intermediate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:53
L3	12	("702"/\$.ccls. "327"/\$.ccls. "374"/\$.ccls0.) and (diode with temperature with sensor) and (temperature signal) and multiplexer and intermediate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:53
L5	11	3 and (measur\$6 with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:54
L6	4	5 and node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:54
S2	2	"6008685".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:50
S3	0	10/792112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:48
S7	63	(diode with temperature with sensor) and (temeperature signal) and multiplexer and intermediate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:04
S8	8	S7 and (convert\$3 with intermediate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 14:01

S9	0	S8 and ((dual two) with diode with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 14:00
S10	1	10/189961	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 14:00
S11	1	S10 and ((dual two) with diode with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 14:01
S12	0	S11 and (convert\$3 with intermediate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 14:01
S13	0	S11 and intermediate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 14:01
S14	12	("3764922"   "4276513"   "4429282"   "4539551"   "4600901"   "4633223"   "4827161"   "5195827"   "5461381"   "5598157"   "5691720"   "5703589").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/24 17:00
S15	1	S14 and multiplex\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/24 17:01
S16	22	(diode with temperature with sensor) and (temeperature signal) and multiplexer and intermediate and (bias with current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:14
S17	0	(diode with temperature with sensor) and (temeperature signal) and (multiplexer with two-by-two)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:15

S18	0	(diode with temperature with sensor) and (multiplexer with two-by-two)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:15
S19	0	(diode with temperature with sensor) and (multiplexer with (two adj by adj two))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:16
S20	20	(diode with temperature with sensor) and (multiplexer with two with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 17:16